

CONFORMITY CERTIFICATE OF FACTORY PRODUCTION CONTROL

Certificate No: 1035-CPR-ES106804

In compliance of the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonized conditions for the marketing of construction products, it has been stated that the product:

ALUMINIUM AND ALUMINIUM ALLOYS STRUCTURAL PRODUCTS FOR CONSTRUCTION WORKS

Manufactured by: EXLABESA EXTRUSIÓN PADRÓN, S.L.

Social address: POL. IND. QUINTÁ, LUGAR A PICARAÑA, S/N

15980 - PADRÓN - A CORUÑA (SPAIN)

In the factory: 1.- POL. IND. QUINTÁ, LUGAR A PICARAÑA, S/N

15980 - PADRÓN - A CORUÑA (SPAIN)

2.- CRUCES

15980 - ROIS - A CORUÑA (SPAIN)

They are submitted by the manufacturer to the initial type testing of the product and a factory production control, and that the notified body Bureau Veritas Certification has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control established in the harmonized standard concerned.

This certificate attests that all provisions concerning the attestation of factory production control described in the Annex ZA of the harmonized standard concerned, and it authorizes the manufacturer or its agent to fix the CE marking.

This certificate remains valid as long as the conditions laid down in the harmonised standard concerned or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

Initial date of issue: 2019 / 09 / 12 Date of update: 2024/10 / 07 Expiration date: 2025 / 09 / 11



Con Data

Mónica Botas Certification Manager





ANNEX TO CERTIFICATE No: 1035-CPR-ES106804

Date: 2024 / 10 / 07

EN 15088:2005. Aluminium and aluminium alloys. Structural products for construction works.

Technical conditions for inspection and delivery.

Descripción: EXTRUDED PROFILE

ALLOY TREATMENT PROFILE DIMENSIONS LENGTH THICKNESSES

AW6060 T5 - T6 - T66

AW6060	T5 - T6 - T66	Profiles inscribed in a circle with a diameter from 6 to 620 mm	Products up to 14 m	Thicknesses between 0,8 and 50 mm
AW6063	T4 -T5 - T6 - T66			
AW6061	T6			
AW6106	T6			
AW6005A	T6			
AW6082	T5 - T6			

EN 15088:2005. Aluminium and aluminium alloys. Structural products for construction works. Technical conditions for inspection and delivery.

reclinical conditions for inspection and activery.								
Descripción: EXTRUDED TUBE								
ALLOY	TREATMENT	DIAMETERS TUBES	LENGTH	THICKNESSES				
AW6060	T5 - T6 -T66	Tubes inscribed in a circle with a diameter from 6 to 380 mm	Products up to 14 m	Thicknesses between 0,8 and 50 mm				
AW6061	T6							
AW6063	T5 - T6 -T66							
AW6005A	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
AW6082	15313775 23137723375 121773331175 2117743775							





Mónica Botas Certification Manager






ANNEX TO CERTIFICATE No: 1035-CPR-ES106804

Date: 2024 / 10 / 07

EN 15088:2005. Aluminium and aluminium alloys. Structural products for construction works. Technical conditions for inspection and delivery						
Descripción: EXTRUDED BAR						
ALLOY	TREATMENT	DIAMETERS BAR	LENGTH	THICKNESSES		
AW6005A	T6	Bars inscribed in a circle with a diameter from 6 to 150 mm	Products up to 14 m	Thicknesses between 6 and 150 mm		
AW6082	T6					





Bureau Veritas Iberia, S.L., C/ Valportillo Primera 22-24 28108 - Alcobendas (MADRID). Notified Body 1035